Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	142	("360"/\$.ccls.) and (mas\$2 same plasma)	USPAT	OR	ON	2005/01/14 10:13
L3	0	("360"/16.ccls.) and (mas\$2 same plasma)	USPAT	OR	ON	2005/01/14 10:13
L4	8	("360"/16.ccls.) and (mas\$2 and plasma)	USPAT	OR	ON	2005/01/14 10:13
L5	8	plasma same magnetic\$3 same propert\$4 same (chang\$3 or alterat\$3) same (mas\$2)	USPAT	OR	ON	2005/01/14 10:15
L6	0	((mas\$2) near10 (magnetic\$5 near5 propert\$4)) same (record\$5 and (non adj1 record\$5))	USPAT	OR	ON	2005/01/14 10:17
L7	29	((mas\$2) near10 (magnetic\$5 near5 propert\$4)) same (record\$5)	USPAT	OR	ON	2005/01/14 10:28
L8	0	("360"/\$/ccls.) and 7	USPAT	OR	ON	2005/01/14 10:35
L9	11	((mas\$2) near10 (magnetic\$5 near5 propert\$4)) same (record\$5)	US-PGPUB	OR	ON	2005/01/14 10:17
L10	0	((mas\$2) near10 (magnetic\$5 near5 propert\$4)) same (record\$5)	EPO	OR	ON	2005/01/14 10:17
L11	7	((mas\$2) near10 (magnetic\$5 near5 propert\$4)) same (record\$5)	JPO	OR	ON	2005/01/14 10:18
L12	5	((mas\$2) near10 (magnetic\$5 near5 propert\$4)) same (record\$5)	DERWENT	OR	ON	2005/01/14 10:18
L13	0	((mas\$2) near10 (magnetic\$5 near5 propert\$4)) same (record\$5)	IBM_TDB	OR	ON	2005/01/14 10:18
L14	29	((mas\$2) near10 (magnetic\$5 near5 (propert\$4 or charachteristic\$5))) same (record\$5)	USPAT	OR	ON	2005/01/14 10:28
L15	1	((mas\$2) near10 (magnetic\$5 near5 (propert\$4 or charachteristic\$5))) same (record\$5) same plasma	USPAT	OR	ON	2005/01/14 10:30
L16	0	((mas\$2) near10 (magnetic\$5 near5 (propert\$4 or charachteristic\$5))) same (record\$5) same plasma	JPO	OR	ON	2005/01/14 10:29
L17	0	((mas\$2) near10 (magnetic\$5 near5 (propert\$4 or charachteristic\$5))) same (record\$5) same plasma	EPO	OR	ON	2005/01/14 10:29
L18	O	((mas\$2) near10 (magnetic\$5 near5 (propert\$4 or charachteristic\$5))) same (record\$5) same plasma	DERWENT	OR	ON	2005/01/14 10:29
L19	O	((mas\$2) near10 (magnetic\$5 near5 (propert\$4 or charachteristic\$5))) same (record\$5) same plasma	IBM_TDB	OR	ON	2005/01/14 10:29

L21	1787	(partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3) same plasma	USPAT	OR	ON	2005/01/14 10:31
L23	12	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic))	USPAT	OR	ON	2005/01/14 10:34
L24	6	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic))	US-PGPUB	OR	ON	2005/01/14 10:34
L25	0	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic))	EPO	OR	ON	2005/01/14 10:34
L26	0	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic))	JPO	OR	ON	2005/01/14 10:34
L27	0	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic))	DERWENT	OR	ON	2005/01/14 10:34
L28	4	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic))	IBM_TDB	OR	ON	2005/01/14 10:34
L29	6	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma same pattern\$3) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic))	USPAT	OR	ON	2005/01/14 10:36
L30	0	("360"/\$/ccls.) and 29	USPAT	OR	ON	2005/01/14 10:35

L31	6	((partial\$3 or part) same mas\$2	USPAT	OR	ON	2005/01/14 10:38
		same (remov\$3 or expos\$3 or vary\$3) same plasma same pattern\$3) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic)) and pattern\$3				
L32	6	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma same pattern\$3) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic)) and (litography or etch\$3 or photolitography)	USPAT	OR	ON	2005/01/14 10:38
L33	3	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma same pattern\$3) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic)) and (litography or etch\$3 or photolitography)	US-PGPUB	OR	ON	2005/01/14 10:39
L34	0	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma same pattern\$3) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic)) and (litography or etch\$3 or photolitography)	EPO	OR	ON	2005/01/14 10:39
L35		((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma same pattern\$3) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic)) and (litography or etch\$3 or photolitography)	JPO	OR	ON	2005/01/14 10:39
L36	0	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma same pattern\$3) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic)) and (litography or etch\$3 or photolitography)	DERWENT	OR	ON	2005/01/14 10:39

L37	2	((partial\$3 or part) same mas\$2 same (remov\$3 or expos\$3 or vary\$3) same plasma same pattern\$3) and ((chang\$3 or alter\$3 or modify\$3 or transform\$3 or convert\$3) same magnetic\$5 same (propert\$5 or characteristic)) and (litography or etch\$3 or photolitography)	IBM_TDB	OR	ON	2005/01/14 10:39
S1	64	karl near belser	USPAT	OR	OFF	2005/01/14 09:59
S2	9	neil near deeman	USPAT	OR	OFF	2005/01/13 14:36
S3	66	ga-lane near chen	USPAT	OR	OFF	2005/01/13 14:36
S4	11	("5766495" "5772905" "5820769" "6187413" "6193898" "6365059" "6602620" "6391216" "6303205" "6254966" "4903296").pn.	USPAT	OR	OFF	2005/01/14 10:12

Try our New Full-text Search Prototype GO Help

1) Enter keywords in one or more text boxes. 2) Select the fields to search for each keyword. 3) Select search operators when using multiple keywords. 4) Limit the results by selecting Search Options. 5) Click Search. See Search Examples In: Author belser v Or 7 In: Author deeman Or In: Author chen × Clear Search

Note: This function returns plural and suffixed forms of the keyword (s).

Search Options:
Select publication types:
☑ IEEE Journals
☑ IEE Journals
☑ IEEE Conference proceedings
☑ IEE Conference proceedings
☑ IEEE Standards
Select years to search:
From year: 1970 💌 to 1999 💌
Organize search results by:
Sort by: Relevance ▼
In: Descending order
List 15 Results per page

Advanced Search Page 1 of 1

Try our New Full-text Search Prototype (GO)



1) Enter a single keyword, phrase, or Boolean expression. Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)

2) Limit your search by using search operators and field codes, if desired.

Example: optical <and> (fiber <or> fibre) <in> ti

- 3) Limit the results by selecting Search Options.
- 4) Click Search. See Search Examples

mask <and>plasma<and>magnetic</and></and>	
	/
Start Search Clear	
Start Search Clear	

Note: This function returns plural and suffixed forms of the keyword (s).

Search operators: <and> <or> <not> <in> More

Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) $\underline{\text{More}}$

Search Options:
Select publication types:
▼ IEEE Journals
☑ IEE Journals
▼ IEEE Conference proceedings
▼ IEE Conference proceedings
☑ IEEE Standards
Select years to search:
From year: 1970 • to 2000 •
Organize search results by:
Sort by: Relevance
In: Descending order
List 15 Results per page

Try our New Full-text Search Prototype Go

<u>Help</u>

Enter a single keyword, phrase, or Boolean expression.
 Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)

2) Limit your search by using search operators and field codes, if desired.

Example: optical <and> (fiber <or> fibre) <in> ti

- 3) Limit the results by selecting Search Options.
- 4) Click Search. See Search Examples

mask<and>plasma<and>
(etching<or>photolitography<or
>litography)

Start Search Clear

Note: This function returns plural and suffixed forms of the keyword (s).

Search operators: <and> <or> <not> <in> More

Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) $\underline{\text{More}}$

Search Options:
Select publication types:
☑ IEEE Journals
▼ IEE Journals
▼ IEEE Conference proceedings
☑ IEE Conference proceedings
☑ IEEE Standards
Select years to search:
From year: 1970 • to 2000 •
Organize search results by:
Sort by: Relevance
In: Descending vorder
List 15 Results per page

Try our New Full-text Search Prototype 60




<u>Help</u>

1) Enter a single keyword, phrase, or Boolean expression. Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)

2) Limit your search by using search operators and field codes, if ${\it desired}.$

Example: optical <and> (fiber <or> fibre) <in> ti

- 3) Limit the results by selecting Search Options.
- 4) Click Search. See Search Examples



Start Search

Clear

Note: This function returns plural and suffixed forms of the keyword (s).

Search operators: <and> <or> <not> <in> More

Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) More

Searching PAJ

	MENU N	EWS	HELP	
Search	Results : 169	Index Indicat	ion	Clear
Text Search	If you want to conduct a Nu	· ·	ease click on the utton to the right.	Nt. makes Casasas
Applicant, Title o	f invention,Abstract	e.g. compute	r semiconductor	
•	operation, please leave a SPA words are not searchable.	ACE between ke	eywords.	
mask			***************************************	AND ▼
,		AND		
plasma				AND ▼
,		AND		
magnetic				AND ▼
_		AND		
Date of publicati	on of application — e	.g.19980401 - 1	9980405	
	3	-		
	*	AND	•••••	
IPC — e.g. D01B7/04	A01C11/02			
If you use the OR opera	ation, please leave a SPACE t	etween keywor	ds.	
,		**		
		Search	Stored dat	а

Copyright (C); 1998,2003 Japan Patent Office

Searching PAJ

	MENU NEWS HELP	
Sear	rch Results : 7 Index Indication CI	ear
Text Search	If you want to conduct a Number Search, please click on the button to the right.	Number Search
Applicant, Title	of invention, Abstract — e.g. computer semiconductor	
	R operation, please leave a SPACE between keywords. opwords are not searchable.	
mask		AND ▼
,	AND	
plasma		AND ₩
,	AND	
magnetic pro	operties	AND ▼
	AND	
Date of publica	ation of application e.g.19980401 - 19980405	
	AND	
IPC — e.g. D01B7/0	04 A01C11/02	
If you use the OR ope	eration, please leave a SPACE between keywords.	***************************************
*		
	w w w w w w w w w w w w w w w w w w w	
	Search Stored:data	
	Copyright (C); 1998,2003 Japan Patent Office	

Searching PAJ Page 1 of 1

Searching PAJ

MENU NEWS HELP	
Couron (Counce : 10	Clear
Text Search If you want to conduct a Number Search, please click on the button to the right.	Mumber Search
Applicant, Title of invention, Abstract — e.g. computer semiconductor	
If you use the AND/OR operation, please leave a SPACE between keywords. One letter word or Stopwords are not searchable.	
mask	AND ▼
AND	
plasma	AND ▼
AND	
magnetic characteristics	AND ▼
AND	
Date of publication of application — e.g.19980401 - 19980405	
-	
AND	
IPC — e.g. D01B7/04 A01C11/02	
If you use the OR operation, please leave a SPACE between keywords.	•
, , , , , , , , , , , , , , , , , , ,	
Search Stored dat	a

Copyright (C); 1998,2003 Japan Patent Office

Searching PAJ

	MENU NEWS HELP	
Search	Results: 34 Index Indication	Clear
Text Search	If you want to conduct a Number Search, please click on the button to the right.	Number Coares
Applicant, Title of	invention, Abstract — e.g. computer semiconductor	
•	operation, please leave a SPACE between keywords. words are not searchable.	-
mask		AND ▼
	AND	
change		AND ₩
,	AND	
magnetic chara	octeristics	AND ▼
•	AND	
Date of publication	on of application — e.g.19980401 - 19980405	
	-	
	AND	
IPC — e.g. D01B7/04	A01C11/02	
If you use the OR operat	tion, please leave a SPACE between keywords.	
ş	***	
	Search Stored data	3

Copyright (C); 1998,2003 Japan Patent Office